

Lighting Designer: Gabriel Beard
Asst. Lighting Designer: Vivien Smith
Asst. Lighting Designer: Wyatt Moffett

Head Electrician: Cassie Keating
Asst. Head Electrician: Ava Harper
Moving Light Technician: TJ Washington







TABLE OF CONTENTS

2 PIPE	1	DSR HI HOR	14
4 CAT HI	2	USR HI HOR	15
5 PIPE	3	DSR LO HOR	15
6 PIPE	4	USR LO HOR	15
6 CAT LO	5	DSL HI HOR	16
7 PIPE	6	USL HI HOR	16
7 CAT LO	8	DSL LO HOR	16
7/8 PIPE SR	8	USL LO HOR	17
7/8 PIPE SL	9	HANDRAIL HL	17
7/8 TEMP SR	9	HANDRAIL HR	18
7/8 TEMP SL	9	VOM HL	18
8 CAT LO	10	VOM HR	18
8 PIPE	11	GROUND ROW	19
1ST ELECTRIC	12	SET MOUNT	20
SR TAB	13	GRID HUNG	21
SL TAB	14	TIER 3	21
		CATWALK 8	21











Lighting Designer: Gabriel Beard
 Asst. Lighting Designer: Vivien Smith
 Asst. Lighting Designer: Wyatt Moffett

Head Electrician: Cassie Keating
 Asst. Head Electrician: Ava Harper
 Moving Light Technician: TJ Washington







2 PIPE

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(103)	70	1/70
2	Warm Front	Altman Strand 6x12	 R02+ R119	(3)	68	1/68
3	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(102)	69	1/69
4	Mover Spots	Varilite VL 1100 Tungsten ERS		(301)	77	2/1
5	Warm Front	Altman Strand 6x12	 R02+ R119	(2)	73	1/73
6	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(101)	72	1/72
7	Warm Front	Altman Strand 6x12	 R02+ R119	(1)	71	1/71

4 CAT HI

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(108)	66	1/66
2	Warm Front	Altman Strand 6x12	 R02+ R119	(8)	65	1/65
3	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(107)	44	1/44
4	Warm Front	Altman Strand 6x12	 R02+ R119	(7)	43	1/43
5	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(106)	42	1/42
6	Warm Front	Altman Strand 6x12	 R02+ R119	(6)	41	1/41
7	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(105)	48	1/48
8	Warm Front	Altman Strand 6x12	 R02+ R119	(5)	47	1/47
9	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(104)	46	1/46
10	Warm Front	Altman Strand 6x12	 R02+ R119	(4)	45	1/45







5 PIPE

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(111)	33	1/33
2	Warm Front	Altman Strand 6x12	 R02+ R119	(11)	34	1/34
3	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(110)	40	1/40
4	Warm Front	Altman Strand 6x12	 R02+ R119	(10)	39	1/39
5	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(109)	38	1/38
6	Warm Front	Altman Strand 6x12	 R02+ R119	(9)	37	1/37













6 PIPE

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(143)	36	1/36
2	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(142)	35	1/35
3	Cool Side <-- Pat	ETC Source4 19deg 750W	 R361, T: R77102	(141)	64	1/64
4	Top	ETC Source4 26deg 750W	 L200, T: R77570	(63)	16	1/16
5	Cool Top	Altman 6in Fres	 R383	(163)	17	1/17
6	Cool Top	Altman 6in Fres	 R383	(162)	18	1/18
7	Warm Top	Altman 2K Fresnel	 N/C	(201)	75	1/75
8	Top	ETC Source4 26deg 750W	 L200, T: R77570	(62)	74	1/74
9	Cool Top	Altman 6in Fres	 R383	(161)	76	1/76
10	Top	ETC Source4 26deg 750W	 L200, T: R77570	(61)	80	1/80
11	Warm Side --> Pat	ETC Source4 19deg 750W	 R09, T: R77570	(43)	81	1/81
12	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(42)	82	1/82
13	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(41)	83	1/83










6 CAT LO

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Side <-- Pat	ETC Source4 26deg 750W	 R95, T: R77764	(123)	63	1/63
2	Cool Side <-- Pat	ETC Source4 26deg 750W	 R95, T: R77764	(122)	62	1/62
3	Cool Side <-- Pat	ETC Source4 19deg 750W	 R95, T: R77764	(121)	61	1/61
4	Warm Side -->	ETC Source4 19deg 750W	 R99	(23)	22	1/22
5	Warm Side -->	ETC Source4 26deg 750W	 R99	(22)	23	1/23
6	Warm Side -->	ETC Source4 26deg 750W	 R99	(21)	24	1/24














7 PIPE

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(148)	58	1/58
2	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(147)	176	1/176
3	Cool Side <-- Pat	ETC Source4 19deg 750W	 R361, T: R77102	(146)	177	1/177
4	Cool Side <-- Pat	ETC Source4 19deg 750W	 R361, T: R77102	(145)	178	1/178
5	Cool Side <-- Pat	ETC Source4 19deg 750W	 R361, T: R77102	(144)	26	1/26
6	Top	ETC Source4 26deg 750W	 L200, T: R77570	(68)	25	1/25
7	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(114)	12sp	
8	Warm Front	Altman Strand 6x12	 R02+ R119	(14)	11sp	
9	Mover Washes	Varilite VLX Wash		(322)	R14	3/163
10	Top	ETC Source4 26deg 750W	 L200, T: R77570	(67)	10sp	
11	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(113)	9sp	
12	Top	ETC Source4 26deg 750W	 L200, T: R77570	(66)	7sp	
13	Warm Front	Altman Strand 6x12	 R02+ R119	(13)	21	1/21

7 PIPE

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
14	Top	ETC Source4 26deg 750W	 L200, T: R77570	(65)	1sp	
15	Mover Washes	Varilite VLX Wash		(321)	R24	3/186
16	Cool Front	ETC Source4 19deg 750W	 R3208+ R119	(112)	2sp	
17	Warm Front	Altman Strand 6x12	 R02+ R119	(12)	3sp	
18	Top	ETC Source4 26deg 750W	 L200, T: R77570	(64)	5sp	
19	Warm Side --> Pat	ETC Source4 19deg 750W	 R09, T: R77570	(48)	6sp	
20	Warm Side --> Pat	ETC Source4 19deg 750W	 R09, T: R77570	(47)	54	1/54
21	Warm Side --> Pat	ETC Source4 19deg 750W	 R09, T: R77570	(46)	53	1/53
22	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(45)	50	1/50
23	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(44)	49	1/49

7 CAT LO

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Side <-- Pat	ETC Source4 26deg 750W	 R95, T: R77764	(127)	57	1/57
2	Cool Side <-- Pat	ETC Source4 19deg 750W	 R95, T: R77764	(126)	118	1/118
3	Cool Side <-- Pat	ETC Source4 19deg 750W	 R95, T: R77764	(125)	119	1/119
4	Cool Side <-- Pat	ETC Source4 19deg 750W	 R95, T: R77764	(124)	120	1/120
5	Cool Top	Altman 6in Fres	 R383	(168)	27	1/27
6	Cool Top	Altman 6in Fres	 R383	(167)	1	1/1
7	Cool Top	Altman 6in Fres	 R383	(166)	8	1/8
8	Cool Top	Altman 6in Fres	 R383	(165)	19	1/19
9	Cool Top	Altman 6in Fres	 R383	(164)	4sp	
10	Warm Side -->	ETC Source4 19deg 750W	 R99	(28)	56	1/56
11	Warm Side -->	ETC Source4 19deg 750W	 R99	(27)	55	1/55
12	Warm Side -->	ETC Source4 19deg 750W	 R99	(26)	52	1/52
13	Warm Side -->	ETC Source4 26deg 750W	 R99	(25)	51	1/51

7/8 PIPE SR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Movers w/ Shutters	Varilite VL 1000 Tungsten dimmer		(311)	R12	3/82
2	Warm Side -->	ETC Source4 26deg 750W	 R99	(24)	155	1/155

7/8 PIPE SL

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Movers w/ Shutters	Varilite VL 1000 Tungsten dimmer		(312)	R4	3/1
2	Cool Side <-- Pat	ETC Source4 26deg 750W	<input checked="" type="radio"/> R95, T: R77764	(128)	59	1/59










7/8 TEMP SR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Warm Top	Altman 2K Fresnel	<input type="radio"/> N/C	(204)	8	1/8
2	Movers w/ Shutters	Varilite VL 1000 Tungsten dimmer		(313)	R24	3/56
3	Warm Top	Altman 2K Fresnel	<input type="radio"/> N/C	(202)	20	1/20











7/8 TEMP SL

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Warm Top	Altman 2K Fresnel	<input type="radio"/> N/C	(205)	13	1/13
2	Movers w/ Shutters	Varilite VL 1000 Tungsten dimmer		(314)	R14	3/28
3	Warm Top	Altman 2K Fresnel	<input type="radio"/> N/C	(203)	2	1/2

8 CAT LO

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Side <-- Pat	ETC Source4 26deg 750W	 R95, T: R77764	(131)	29	1/29
2	Cool Side <-- Pat	ETC Source4 26deg 750W	 R95, T: R77764	(130)	30	1/30
3	Cool Side <-- Pat	ETC Source4 19deg 750W	 R95, T: R77764	(129)	4	1/4
4	Cool Top	Altman 6in Fres	 R383	(171)	5	1/5
5	Cool Top	Altman 6in Fres	 R383	(170)	15	1/15
6	Cool Top	Altman 6in Fres	 R383	(169)	9	1/9
7	Warm Side -->	ETC Source4 19deg 750W	 R99	(31)	85	1/85
8	Warm Side -->	ETC Source4 26deg 750W	 R99	(30)	86	1/86
9	Warm Side -->	ETC Source4 26deg 750W	 R99	(29)	87	1/87







8 PIPE

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(151)	60	1/60
2	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(150)	31	1/31
3	Cool Side <-- Pat	ETC Source4 19deg 750W	 R361, T: R77102	(149)	32	1/32
4	Top	ETC Source4 26deg 750W	 L200, T: R77570	(71)	6	1/6
5	Mover Washes	Varilite VLX Wash		(324)	R11	3/232
6	1926 SPECIAL	ETC Source4 26deg 750W	 N/C, T: CUSTO M 1926	(392)	14	1/14
7	Top	ETC Source4 26deg 750W	 L200, T: R77570	(70)	7	1/7
8	Mover Washes	Varilite VLX Wash		(323)	R11	3/209
9	Top	ETC Source4 26deg 750W	 L200, T: R77570	(69)	10	1/10
10	Warm Side --> Pat	ETC Source4 19deg 750W	 R09, T: R77570	(51)	11	1/11
11	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(50)	12	1/12
12	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(49)	84	1/84



1ST ELECTRIC

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Side <-- Pat	ETC Source4 26deg 750W	 R95, T: R77764	(134)	112	1/112
2	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(154)	113	1/113
3	Cool Side <-- Pat	ETC Source4 19deg 750W	 R95, T: R77764	(133)	114	1/114
4	Top	ETC Source4 26deg 750W	 L200, T: R77570	(76)	115	1/115
5	Cool Side <-- Pat	ETC Source4 19deg 750W	 R361, T: R77102	(153)	188	1/188
6	BAR SPECIAL	ETC Source4 26deg 750W	 R132	(391)	187	1/187
7	Movers w/ Shutters	Varilite VL 1000 Tungsten dimmer		(316)	95	3/109
8	Top	ETC Source4 26deg 750W	 L200, T: R77570	(75)	189	1/189
9	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(54)	190	1/190
10	Warm Side -->	ETC Source4 26deg 750W	 R99	(34)	191	1/191
11	Cool Top	Altman 6in Fres	 R383	(172)	192	1/192
12	Warm Top	Altman 2K Fresnel	 N/C	(206)	88	1/88
13	Top	ETC Source4 26deg 750W	 L200, T: R77570	(74)	89	1/89
14	Cool Side <-- Pat	ETC Source4 26deg 750W	 R95, T: R77764	(132)	90	1/90
15	Cool Side <-- Pat	ETC Source4 26deg 750W	 R361, T: R77102	(152)	91	1/91





1ST ELECTRIC

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
16	Top	ETC Source4 26deg 750W	 L200, T: R77570	(73)	92	1/92
17	Movers w/ Shutters	Varilite VL 1000 Tungsten dimmer		(315)	93	3/136
18	Top	ETC Source4 26deg 750W	 L200, T: R77570	(72)	94	1/94
19	Warm Side --> Pat	ETC Source4 19deg 750W	 R09, T: R77570	(53)	96	1/96
20	Warm Side -->	ETC Source4 19deg 750W	 R99	(33)	97	1/97
21	Warm Side --> Pat	ETC Source4 26deg 750W	 R09, T: R77570	(52)	98	1/98
22	Warm Side -->	ETC Source4 26deg 750W	 R99	(32)	99	1/99



SR TAB

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Warm Back Wall Texture	ETC Source4 26deg 750W	 N/C, T: R76601	(239)	137	1/137
2	LED Back Wall Texture	ETC Source4 LED2LS 26deg	T: R76601	(217)	R13	4/310
3	Warm Back Wall Texture	ETC Source4 26deg 750W	 N/C, T: R76601	(239)	137	1/137
4	LED Back Wall Texture	ETC Source4 LED2LS 26deg	T: R76601	(218)	R13	4/320







SL TAB

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	DOOR SPECIAL	ETC Source4 26deg 750W	 R02 + R119	(266)		
1	Warm Back Wall Texture	ETC Source4 26deg 750W	 N/C, T: R76601	(240)	128	1/128
2	LED Back Wall Texture	ETC Source4 LED2LS 26deg	T: R76601	(219)	130	3/310
3	Warm Back Wall Texture	ETC Source4 26deg 750W	 N/C, T: R76601	(240)	128	1/128
4	LED Back Wall Texture	ETC Source4 LED2LS 26deg	T: R76601	(220)	130	3/320
5	BAR DOOR SPECIAL	ETC Source4 26deg	 R99	(266)	127	1/127

DSR HI HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Par Side - ->	Altman PAR 64 NSP	 R80	(91)	164	1/164
2	Warm Par Side -->	Altman PAR 64 NSP	 R34	(81)	163	1/163

USR HI HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Cool Par Side - -->	Altman PAR 64 NSP	 R80	(93)	156	1/156
2	Warm Par Side -->	Altman PAR 64 NSP	 R34	(83)	157	1/157
3	Cool Par Side - -->	Altman PAR 64 NSP	 R80	(92)	159	1/159
4	Warm Par Side -->	Altman PAR 64 NSP	 R34	(82)	158	1/159
5	Cool Par Side - -->	Altman PAR 64 NSP	 R80	(92)	159	1/159
6	Warm Par Side -->	Altman PAR 64 NSP	 R34	(82)	158	1/159



DSR LO HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	LED Lo Sides	ETC Source4 LED2LS 26deg	T:R77805	(211)	166	4/280







USR LO HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	LED Lo Sides	ETC Source4 LED2LS 26deg	T:R77805	(213)	R7	4/300
2	Mover Textures	Varilite VL 2500 Spot		(303)	R7	4/255
3	LED Lo Sides	ETC Source4 LED2LS 26deg	T:R77805	(212)	R7	4/290

DSL HI HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Warm Par Side <--	Altman PAR 64 NSP	 R18	(191)	151	1/151
2	Warm Par Side <--	Altman PAR 64 NSP	 R41	(181)	152	1/152

USL HI HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Warm Par Side <--	Altman PAR 64 NSP	 R18	(193)	17	1/17
2	Warm Par Side <--	Altman PAR 64 NSP	 R41	(183)	144	1/144
3	Warm Par Side <--	Altman PAR 64 NSP	 R18	(192)	146	1/146
4	Warm Par Side <--	Altman PAR 64 NSP	 R41	(182)	147	1/147
5	Warm Par Side <--	Altman PAR 64 NSP	 R18	(192)	146	1/146
6	Warm Par Side <--	Altman PAR 64 NSP	 R41	(182)	147	1/147

DSL LO HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	LED Lo Sides	ETC Source4 LED2LS 26deg	T:R77805	(214)	154	3/280

USL LO HOR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	LED Lo Sides	ETC Source4 LED2LS 26deg	T:R77805	(216)	R2	3/300
2	Mover Textures	Varilite VL 2500 Spot		(304)	R2	3/255
3	LED Lo Sides	ETC Source4 LED2LS 26deg	T:R77805	(215)	R2	3/290

HANDRAIL HL

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Scroller Set Texture	ETC Source4 26deg 750W	<input type="radio"/> Scroller, T:R77833	(231)	172	1/172
1		Wybron CXI Color Fusion 10"		(231)		
2	Scroller Set Texture	ETC Source4 26deg 750W	<input type="radio"/> Scroller, T:R77833	(231)	172	1/172
2		Wybron CXI Color Fusion 10"		(231)		
3	Scroller Set Texture	ETC Source4 36deg 750W	<input type="radio"/> Scroller, T:R77563	(233)	171	1/171
3		Wybron CXI Color Fusion 10"		(233)		

HANDRAIL HR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Scroller Set Texture	ETC Source4 36deg 750W	<input type="checkbox"/> Scroller, T:R77563	(234)	168	1/168
1		Wybron CXI Color Fusion 10"		(233)		
2	Scroller Set Texture	ETC Source4 26deg 750W	<input type="checkbox"/> Scroller, T:R77833	(232)	167	1/167
2		Wybron CXI Color Fusion 10"		(232)		
3	Scroller Set Texture	ETC Source4 26deg 750W	<input type="checkbox"/> Scroller, T:R77833	(232)	167	1/167
3		Wybron CXI Color Fusion 10"		(232)		











VOM HL

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	LED Beam Benders	ETC Source4 LED2LS 26deg		(221)	170	2/270

VOM HR

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	LED Beam Benders	ETC Source4 LED2LS 26deg		(222)	169	2/260

GROUND ROW

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(253)	131	1/131
2	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(253)	131	1/131
3	LED Footlights	Chauvet ColorBand Pix		(245)	132	2/200
4	LED Footlights	Chauvet ColorBand Pix		(244)	132	2/164
5	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(253)	131	1/131
6	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(253)	131	1/131
7	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(252)	142	1/142
8	LED Footlights	Chauvet ColorBand Pix		(243)	141	2/164
9	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(252)	142	1/142
10	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(251)	134	1/134
11	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(251)	134	1/134
12	LED Footlights	Chauvet ColorBand Pix		(242)	135	2/128
13	LED Footlights	Chauvet ColorBand Pix		(241)	135	2/92
14	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(251)	134	1/134
15	Red Footlights	USITT PAR MR-16 Birdie-WFL	 R27	(251)	134	1/134

SET MOUNT

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
	Candle Practical			(373)		4/15
	Candle Practical			(374)		4/16
	Candle Practical			(375)		4/17
	Candle Practical			(376)		4/18
	Candle Practical			(377)		4/19
	Candle Practical			(378)		4/20
	Candle Practical			(379)		4/21
	Candle Practical			(380)		4/23
	Candle Practical			(381)		4/22
	Candle Practical			(382)		4/24
	Candle Practical			(383)		4/25
	Candle Practical			(371)		4/13
	Candle Practical			(372)		4/14
	Hallway Practical	USITT Practical Luminaire		(265)	186	1/186

SET MOUNT

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
	Pendant Practical	USITT Practical Luminaire		(264)	181	1/181
	Pendant Practical	USITT Practical Luminaire		(261)	129	1/129
	Pendant Practical	USITT Practical Luminaire		(262)	183	1/183
	Pendant Practical	USITT Practical Luminaire		(263)	184	1/184
	Hallway Practical	USITT Practical Luminaire		(265)	186	1/186

GRID HUNG

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
	Chandelier	USITT Practical Luminaire		(271)	161	1/161
	Chandelier	USITT Practical Luminaire		(272)	149	1/149

TIER 3

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
1	CONDUCTOR SPECIAL	ETC Source4 26deg	<input type="radio"/> N/C	(393)	77	1/77

CATWALK 8

U#	Purpose	Instrument Type	Clr & Gbo	Chan	Dim	Addr
	HAZER			(351)	R3	3/420